


Hopup Dimension Kit 01


DIMENSION KIT 01: HOP-DIM01-3X3FG-S

ACCESSORY 01: HOP-DIM01

Hopup™ Backwall Dimensions add style, flare and funtion to any 7½' or 10' wide Hopup straight display. Easily accessorize your Hopup with monitor mounts, counters, tables, and more messaging real estate. Purchase as a complete kit or as an accessory for your existing straight Hopup. Dimensional elements can be placed in the middle, left or right sides of the display.



DIMENSION KIT 01:
HOP-DIM01-3X3FG-S



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE.
See Graphic Templates for graphic bleed specifications.

features and benefits:

Dimension Kit 01 includes:

- 7½' wide full height straight backwall
- Two stand-off rigid graphic accents with literature holders
- Monitor* mount
- Two lumina 200 lights

- Accessory 01 includes: two stand-off rigid graphic accents with literature holders and monitor mounts
- Monitor* mount supports 23"; 30 lbs max
- Lifetime limited hardware warranty against manufacturer defects

dimensions:

Hardware:

Assembled unit:

99" w x 91" h x 30.75" d
2514.6mm(w) x 2311.4mm(h) x 781mm(d)

Stand-off rigid accessory (each):

12" w x 37" h x 4.5" d
305mm(w) x 940mm(h) x 114mm(d)

HOP-DIM01-3X3FG-S Weight: 46 lbs / 21 kgs

HOP-DIM01 Weight: 19 lbs / 8.62 kgs

Carry bag: 2 lbs / .9 kgs

Graphics:

Total visual area:
89.5" w x 89.5" h
2273mm(w) x 2273mm(h)

Stand-off rigid graphics (each):
11.811" w x 35.43" h
300mm(w) x 900mm(h)

Please be sure to include a 2" bleed around perimeter

Refer to related graphic template for more information.

Shipping:

Shipping dimensions - ships in two boxes:

Dimension Kit 01: 36" l x 13" w x 12" h
914mm(l) x 330mm(w) x 305mm(h)

Shipping dimensions - ships in one box:

Accessory 01: 40" l x 17.5" w x 6.625" h
1016mm(l) x 144.5mm(w) x 168.3mm(h)

Shipping weight:

Dimension Kit 01 (boxes): 48 lbs / 21.7 kgs

OCP2 upgrade: 77 lbs / 34.9 kgs

Accessory 01 (boxes): 21 lbs / 9.5 kgs

OCP2upgrade: 51 lbs / 23 kgs

additional information:

Monitor* mount supports 23" monitor, max weight = 30 lbs

*Monitors not included


Accessory Kit HOP-DIM01 does not include backwall frame or lights

Distance between rigid graphic stand-off accessories is 75.5"


Distance between rigid graphic stand-off accessories and backwall is 7"

Single rigid graphic stand-offs:
HOP-DIM-RIGID STAND OFF


STEP 1: ASSEMBLE FRAME




Remove unit from rolling bag.



Stretch frame to size. Make sure webbing is not wrapped around purple locking arms.




Pull frame outward and align purple locking arms.



Snap all purple locking arms into place.

STEP 2: ATTACH GRAPHIC



Unit is locked and graphic is attached.


STEP 3: ATTACH STABILIZER FEET




Flip Hopup on side to access bottom hubs.



Start with the largest end of the opening; Slide stabilizer foot over both hubs. Feet will fit snugly over hubs.




Stabilizing feet will snap lock onto hubs, repeat on other end



Push down on the tension clip to insert the hub into the stabilizing foot

STEP 4: ATTACH GRAPHIC ACCESSORY




Assemble both accessory units


STEP 5: ATTACH MONITOR-MOUNT




Camlock the accessory onto each stabilizing foot




Loosen screws on monitor mount to adjust hubs




Place hubs on the frame



Tighten screws to secure mount




Attach mounting arm through slit in graphic




Attach monitor to bracket
and snap onto arm

STEP 6: ATTACH LIGHTS




Slide fit the light onto the hubs
at the top of the frame

HOPUP GRAPHIC ATTACHMENT



Graphic attaches to frame with
hook & loop. Start in one
corner and move on to the
next



Graphic application is complete

to ensure quality, please note:



If the webbing is wrapped around
the purple locking arm, the arm can
snap off when opening the unit.



When setting up, ensure that the
arms are aligned. If not, the arms
will snap when pressure is applied.



When packing unit in the bag,
ensure that the strap is not
partially wrapped around an arm.
If it is, the arm will snap when
pulled out of the bag.



When placing in a non-roller bag,
ensure that arms are not outside of
the bag.



Do not use the purple locking arm
to lift unit. ALWAYS lift by the
frame.