



RENTAL KIT 10




SET-UP NOTES


- 1. Redesign of this exhibit without approval by ORIGIN may result in dangerous and unsafe structures. ORIGIN disclaims any responsibility for redesigned exhibits it does not approve in writing.
- 2. Parts and components such as panels and extrusions are manufactured to metric sizing. Where ever possible sizes have been noted in feet and inches as well as in metric. Below is the imperial to metric sizing table as reference. "Nominal" refers to approximate size.

IMPERIAL TO METRIC SIZES

8' Nominal = 94 1/2" or 2400mm Actual
4' Nominal = 47 1/4" or 1200mm Actual
3' Nominal = 35 7/16" or 900mm Actual
2' Nominal = 23 5/8" or 600mm Actual
1' Nominal = 11 13/16" or 300mm Actual









- 2400mm = (94 1/2")
 - 2100mm = (82 5/8")
 - 1800mm = (70 7/8")
 - 1500mm = (59")
 - 1200mm = (47 1/4")
 - 900mm = (35 1/2")
 - 600mm = (23 5/8")
 - 300mm = (11 7/8")
- Phone Line / Fax
 - Internet connection
 - Outlet
 - Main Drop (point of distrution)
 - Wire running under carpet




RENTAL KIT

Title: SET-UP INSTRUCTIONS

Code	#	Description
PM4LD-U	4	UNIVERSAL BROCHURE HOLDER FOR PM4 EXTRUSION
PM4S2-8	4	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM
PH2C-2	4	600MM [23 5/8"] PH2 CONNECTOR WITH TENSION GLIDES
PM4S2-4	4	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM
PM4S2-4-W/LBE	2	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS
PM4U-4-W/LBE	2	1200MM [47 1/4"] PM4U SILVER EXTRUSION WITH LOCKS BOTH ENDS
PM4S2-8-W/LBE	1	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS




2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	



RENTAL KIT
Title: SET-UP INSTRUCTIONS

	Code	#	Description
	PM4S2-8-W/LBE	2	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS
	PM4S2-8	2	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM
	PH2C-2	2	600MM [23 5/8"] PH2 CONNECTOR WITH TENSION GLIDES
	PM4S2-4	2	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM



2400mm = (94 1/2")
2100mm = (82 5/8")
1800mm = (70 7/8")
1500mm = (59")
1200mm = (47 1/4")
900mm = (35 1/2")
600mm = (23 5/8")
300mm = (11 7/8")



Phone Line / Fax

Internet connection

Outlet

Main Drop
(point of distrution)

Wire running under carpet



WARNING!







LOCKS

Locks should **ONLY** be turned a half (or quarter) turn so as not to **STRIP** the locks by over torqueing them


RENTAL KIT

Title: SET-UP INSTRUCTIONS

Code	#	Description
PM4LD-U	4	UNIVERSAL BROCHURE HOLDER FOR PM4 EXTRUSION
PM4S2-4-W/LBE	2	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS
PM4S2-8	2	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM
PH2C-2	2	600MM [23 5/8"] PH2 CONNECTOR WITH TENSION GLIDES
PM4S2-4	2	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH PH2 STOP AT 302MM
PM4U-4-W/LBE	2	1200MM [47 1/4"] PM4U SILVER EXTRUSION WITH LOCKS BOTH ENDS
PM4S2-8-W/LBE	1	2400MM [94 1/2"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS




2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	Main Drop (point of distrution)
300mm = (11 7/8")	
Wire running under carpet	






RENTAL KIT

Title: SET-UP INSTRUCTIONS

	Code	#	Description
	PM4S2-4-W/LBE	4	1200MM [47 1/4"] PM4S2 SILVER EXTRUSION WITH LOCKS BOTH ENDS
	PM4U-8-W/LBE	4	2400MM [94 1/2"] PM4U SILVER EXTRUSION WITH LOCKS BOTH ENDS





2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	
Wire running under carpet	





RENTAL KIT

Title: SET-UP INSTRUCTIONS

	Code	#	Description
	GRAPHIC G	1	APPROX. 2194MM [86 3/8"] X APPROX. 1200MM [47 1/4"] DOUBLE SIDED (LINED) DYE
	GRAPHIC F	1	APPROX. 2194MM [86 3/8"] X APPROX. 1200MM [47 1/4"] DOUBLE SIDED (LINED) DYE
	GRAPHIC E	1	APPROX. 2194MM [86 3/8"] X APPROX. 1200MM [47 1/4"] DOUBLE SIDED (LINED) DYE
	GRAPHIC H	1	APPROX. 2194MM [86 3/8"] X APPROX. 1200MM [47 1/4"] DOUBLE SIDED (LINED) DYE




GRAPHIC CLIP





2400mm = (94 1/2")
2100mm = (82 5/8")
1800mm = (70 7/8")
1500mm = (59")
1200mm = (47 1/4")
900mm = (35 1/2")
600mm = (23 5/8")
300mm = (11 7/8")



Phone Line / Fax
 Internet connection
 Outlet
 Main Drop (point of distrution)
 Wire running under carpet



	Code	#	Description
	GRAPHIC D	1	43" X 94 1/2" DYESUB GRAPHOC W/ 8MM POLE P
	GRAPHIC C	1	43" X 94 1/2" DYESUB GRAPHOC W/ 8MM POLE P
	GRAPHIC B	1	43" X 94 1/2" DYESUB GRAPHOC W/ 8MM POLE P
	GRAPHIC A	1	43" X 94 1/2" DYESUB GRAPHOC W/ 8MM POLE P




GRAPHIC CLIP







2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	

Wire running under carpet




RENTAL KIT
Title: SET-UP INSTRUCTIONS

	Code	#	Description
	L90S-3	4	900MM 90 DEGREE SILVER LINK EXTRUSION
	PL43	1	900MM [35 3/8"] V x 1200MM [47 1/4"] W LAMINATE
	PL32	2	900MM [35 3/8"] V x 600MM [23 5/8"] W LAMINATE
	PL CD34	1	900MM [35 3/8"] V x 1200MM [47 1/4"] W LAMINATE



2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	





Wire running under carpet








RENTAL KIT


Title: SET-UP INSTRUCTIONS


	Code	#	Description
	CT-42L	1	4' X 3' LAMINATE COUNTER TOP





2400mm = (94 1/2")
2100mm = (82 5/8")
1800mm = (70 7/8")
1500mm = (59")
1200mm = (47 1/4")
900mm = (35 1/2")
600mm = (23 5/8")
300mm = (11 7/8")


 Phone Line / Fax
 Internet connection
 Outlet
 Main Drop (point of distrution)
 Wire running under carpet



PM4U



PM4S2


PH2C


PH2


PH






L90S


L180N

RENTAL KIT


Title: SET-UP INSTRUCTIONS

Code	#	Description
PL4R-3	2	4'R X 900MM LAMINATE CURVE PANEL
L180N-3	2	900MM 180N DEGREE SILVER LINK EXTRUSION
PL32	2	900MM [35 3/8"] V x 600MM [23 5/8"] W LAMINATE
L90S-3	4	900MM 90 DEGREE SILVER LINK EXTRUSION
PH-3	1	900MM PH EXTRUSION
PL CD2R-3	1	2'R X 900MM CABINET DOOR







2400mm = (94 1/2")
2100mm = (82 5/8")
1800mm = (70 7/8")
1500mm = (59")
1200mm = (47 1/4")
900mm = (35 1/2")
600mm = (23 5/8")
300mm = (11 7/8")

Phone Line / Fax
Internet connection
Outlet
Main Drop (point of distrution)
Wire running under carpet



RENTAL KIT
Title: SET-UP INSTRUCTIONS

	Code	#	Description
	CT-33L	2	CT33L WITH 1 2'RADII/ 1 4'RADII



2400mm = (94 1/2")
2100mm = (82 5/8")
1800mm = (70 7/8")
1500mm = (59")
1200mm = (47 1/4")
900mm = (35 1/2")
600mm = (23 5/8")
300mm = (11 7/8")



Phone Line / Fax
 Internet connection
 Outlet
 Main Drop (point of distrution)
 Wire running under carpet

PM4U
 PM4S2
 PH2C
 PH2
 PH
 L90S
 L180N


RENTAL KIT

Title: SET-UP INSTRUCTIONS

	Code	#	Description
	L10N LIGHT	16	200 WATT QUARTZ HALOGEN WALLWASHER



2400mm = (94 1/2")	Phone Line / Fax
2100mm = (82 5/8")	Internet connection
1800mm = (70 7/8")	Outlet
1500mm = (59")	Main Drop (point of distrution)
1200mm = (47 1/4")	
900mm = (35 1/2")	
600mm = (23 5/8")	
300mm = (11 7/8")	
Wire running under carpet	



RENTAL KIT
Title: SET-UP INSTRUCTIONS