



- high quality curved aluminum body available in anodized silver or powder-coated black finish

- your choice of black or grey impact-modified plastic end caps

- comes standard with clear non-glare lens, unless otherwise specified

- double-sided adhesive tape and holes for screw mount optional

- custom lengths available

Top-to-bottom Curve

left & right end caps

frame dimension | graphic dimension

 4" WL1	 6" WL2	 8" WL3	 10" WL4	 12" WL5	 14" WL6	 16" WL7	 18" WL8	2.36" 2-3/16"	60		
 5" WP4	 6" WP5	 8" WP6	 10" WL9	 12" WL10	 14" WL11	 16" WL12	 18" WL13	 20" WL14	 22" WL15	3.93" 3-3/4"	100
 10" WL16	 12" WL17	 14" WL18	 16" WL19	 20" WL20	 24" WL21	4.72" 4-9/16"	120				
 12" WL22	 14" WL23	 16" WL24	 20" WL25	 24" WL26	 26" WL27	5.90" 5-3/4"	150				
 12" WL28	 16" WL29	 18" WL30	 20" WL31	 24" WL32	 28" WL33	7.87" 7-3/4"	200				
 11" WP37	 14" WL35	 17" WL36	 20" WL37	 24" WL38	8.64" 8-1/2"	LETTER					
 8.5" WP41	 14" WL40	 17" WL41	 20" WL42	 22" WL43	 28" WL44	11.19" 11-1/16"	11				
 10" WL45	 12" WL46	 14" WL47	 18" WL48	 20" WL49	 28" WL50	 32" WL51	12.19" 12-1/16"	12			
				 17" WL52	 24" WP67	 36" WP70	17.19" 16-15/16"	17			
				 18" WL53	 24" WP79	 36" WP82	18.19" 17-15/16"	18			



top insert slides left & right



partition pins used to secure frame to fabric wall




All length measurements apply to the extrusion only and exclude the end caps.

Left-to-right Curve

top & bottom end caps

- high quality curved aluminum body, available in anodized silver or powder-coated black finish
- your choice of black or grey impact-modified plastic end caps
- comes standard with clear non-glare lens, unless otherwise specified
- double-sided adhesive mounting tape and holes for screw mount optional
- custom lengths available



comes fully assembled

graphic dimension
frame dimension

100	3-3/4" 3.93" 2" WP1	3" WP2	4" WP3	4.1875" 3"-1" WP311	5" WP4	5.1875" 3"-2" WP411	6" WP5	6.1875" 4"-2" WP511	8" WP6				
120	4-9/16" 4.72" 2" WP7	3" WP8	4" WP9	4.1875" 3"-1" WP91	5" WP10	5.1875" 3"-2" WP101	6" WP11	6.1875" 4"-2" WP111	7" WP12	8" WP13			
150	5-3/4" 5.90" 2" WP14	3" WP15	4" WP16	4.1875" 3"-1" WP161	5" WP17	6" WP18	6.1875" 4"-2" WP181	8" WP19	8.1875" 6"-2" WP191	8.5" WP20	9" WP21		
200	7-3/4" 7.87" 2" WP22	4" WP23	4.1875" 3"-1" WP231	5" WP24	6" WP25	6.1875" 4"-2" WP251	8" WP26	8.1875" 6"-2" WP261	10" WP27	10.1875" 8"-2" WP271	12" WP28	16" WP29	18" WP30
LETTER	8-1/2" 8.64" 4" WP31	5.5" WP32	6" WP33	8" WP34	8.1875" 6"-2" WP341	8.5" WP35	10" WP36	10.1875" 8"-2" WP361	11" 8.5" x 11" WP37	11.1875" 9"-2" WP371	16" WP38	18" WP39	
11	11-1/16" 11.19" 6" WP40	8.5" 8.5" x 11" WP41	8.6875" 6.5"-2" WP411	10" WP42	10.6875" 8.5"-2" 8.5" x 11" WP421	11" WP43	13" WP44	14" WP45	17" WP46	20" WP47			

All length measurements apply to the extrusion only and exclude the end caps.



























Our frames are ADA-compatible, and can accommodate 1/16" engraved/appliqué lenses to comply with ADA requirements.

Left-to-right Curve

top & bottom end caps

graphic dimension

frame dimension



All length measurements apply to the extrusion only and exclude the end caps.

12

17

18