

Vector Frame R-01

VF-R-01

Vector Frame™ is a collection of modern extrusion-based fabric graphic banner displays. Vector Frame is easy to assemble and disassemble and provides your choice of single-sided or double-sided integrated fabric graphic murals.



We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

features and benefits:

- 50mm silver extrusion frame
 - Single or double-sided SEG dye-sublimated fabric graphics
 - Easy assembly
- Comes packaged in one OCS wheeled molded case for transport or storage
 - Lifetime hardware warranty against manufacturer defects

dimensions:






Hardware	Graphic
Assembled unit: 36.3" w x 47.49" h x 19.685" d 922mm(w) x 1206.25mm(h) x 500mm(d)	Total visual area: 35.31" w x 47.125" h 897mm(w) x 1197mm(h) Refer to related graphic templates for more information
Shipping	
Shipping dimensions: 1 OCS case: 19" l x 19" w x 45" h 483mm(l) x 483mm(w) x 1143mm(h) Approximate shipping weight (entire kit): 36 lbs / 16 kgs	

additional information:

Graphic material:
Dye-sublimated fabric

Optional lighting available


Code	#	Description
F10	2	PHFC2-900-1 [35.43"] (Mitre / Corner Lock Both ends - No Locks)
F4	2	PHFC2-1200-1[47.25"] (Mitre / Corner Lock Both ends - No Locks)
CORNER LOCK	4	90 DEGREE CB9 CORNER LOCK CONNECTOR
SW-FOOT	2	500MM FLAT FOOT FOR SMARTWALL FRAMES




Code	#	Description
GRAPHIC A	1	47.25"H X 35.43"W SINGLE SIDED DYESUB GRAPHIC (UNLINED) PRINTED ON OXFORD W/ FCE-2 ALL 4 SIDES

Graphic Storage & Care: Graphics should be folded with the graphic facing inward and stored in a ziplock / sealable plastic bag. Spot clean by wiping with a damp white cloth. If washing is necessary, use a commercial size front-loading washing machine, gental cycle with cool water. Line dry flat. Dry cleaning is NOT recommended to prevent shrinkage.


GRAPHIC A



GRAPHIC



Install graphic by pressing into the top and bottom channels of extrusion. To pull graphics out of the channels use tabs on the front side



Slide the light clip into the light. Then slide the light at an angle and gently lower down.



Push fabric with FCE-2 edge folded over into each corner of frame.



Press into the middle of the outside channel and continue around perimeter.

Vector Frame Banners & Light Boxes

Banners:



Vector Frame Banner
VF-R-01



Vector Frame Banner
VF-R-02



Vector Frame Banner
VF-R-03



Vector Frame Banner
VF-R-04



Vector Frame Banner
VF-R-05




Vector Frame Banner
VF-S-01



Vector Frame Banner
VF-S-02



Vector Frame Banner
VF-S-03



Vector Frame Banner
VF-S-04


Lightboxes:



Vector Frame Lightbox
VF-LF-R-01



Vector Frame Lightbox
VF-LB-R-02



Vector Frame Lightbox
VF-LB-R-03



Vector Frame Lightbox
VF-LB-R-04



Vector Frame Lightbox
VF-LB-R-05



Vector Frame Lightbox
VF-LB-S-01



Vector Frame Lightbox
VF-LB-S-02



Vector Frame Lightbox
VF-LB-S-03



Vector Frame Lightbox
VF-LB-S-04