# Formulate Essential 8' Ring

ESS-RNG-0802 ESS-RNG-0803 ESS-RNG-0804

Formulate® Essential Ring tension fabric hanging structures are available in numerous sizes. The economy aluminum tube frame features bungee cords and push button connectors for easy assembly, hanging cables and a zippered pillowcase graphic. All sizes come with a carry bag and feature a one year limited hardware warranty.



#### features and benefits:

- Economy aluminum tube frame features bungee cords and push button connectors
- Quick set up
- Graphics available double or single sided
- Kit Includes: one frame, pillowcase zipper fabric graphic (sold separately), hanging cables and carry bag
- One year limited hardware warranty against manufacturer defects

#### dimensions:

Hardware

Assembled unit:

ESS-RNG-0802: 96" w x 24" h x 120" d 2439mm(w) x 610mm(h) x 3048mm(d) Approximate weight: 21 lbs / 10 kg

ESS-RNG-0803: 96" w x 36" h x 120" d 2439mm(w) x 915mm(h) x 3048mm(d) Approximate weight: 24 lbs / 11 kg

ESS-RNG-0804: 96"w x 48"h x 120"d 2439mm(w) x 1220mm(h) x 3048mm(d) Approximate weight: 28 lbs / 13 kg

Shipping

1 Carry Bag in a box:

ESS-RNG-0802: 54"l x 16"h x 15"d 1372mm(l) x 406mm(h) x 381mm(d) Approximate weight: 25 lbs / 12 kg

ESS-RNG-0803: 54"l x 16"h x 15"d 1372mm(l) x 406mm(h) x 381mm(d) Approximate weight: 29 lbs / 14 kg

ESS-RNG-0804: 54"l x 16"h x 15"d 1372mm(l) x 406mm(h) x 381mm(d) Approximate weight: 33 lbs / 15 kg

#### Graphic

Refer to related graphic template for more information.

#### Visit:

https://www.theexhibitorshandbook.com/download-graphic-templates



ESS-RNG-0802-G ESS-RNG-0803-G ESS-RNG-0804-G

ESS-RNG-0802-GDBL ESS-RNG-0803-GDBL ESS-RNG-0804-GDBL



ESS-RNG-0802-GPBP ESS-RNG-0803-GPBP ESS-RNG-0804-GPBP

### additional information:

Graphic material: 5 oz. Soft Knit Dye-sublimation zipper pillowcase fabric (sold separately)

2 person assembly recommended:





We are continually improving and modifying our product range and reserve the right to vary the specifications without prior notice. All dimensions and weights quoted are approximate and we accept no responsibility for variance. E&OE. See Graphic Templates for graphic bleed specifications.

## \*Not to scale









